6 NAGNER

FULL LINE PRODUCT CATALOG



PREP TOOLS

Strip paint, remove floor tiles, thaw frozen pipes, defrost freezers, dry plaster, form and bend plastic pipe and loosen rusted nuts.



P/N 0503008

P/N 0503040

HT1000 Heat Gun

Entry level gun providing the flexibility of two heat settings. Features:

- Power: 1200 WATTS / 4100 BTUs
- 2 heat settings: 750°F and 1000°F

HT3500 Digital Heat Gun

The "Smart" tool for every heating application. Features:

- Power: 1500 WATTS / 5100 BTUs
- 12 temperature settings (250°F 1300°F) at the touch of a button
- A cool down setting with automatic shut-down when the gun is cool



Rugged design, suitable for industrial-like applications. Features:

- Power: 1680 WATTS / 5700 BTUs
- Variable heat settings: 750°F 1000°F
- Industrial, die-cast metal housing
- Replaceable heating element
- A fan-only, cool-down setting



Paint Eater[™]

The innovative one step paint remover. Features:

- Removes paint chips, feathers paint edges and abrades the surface
- Optimum machine speed for aggressive paint removal and operator control.
- Flex-disc system to run over uneven surfaces.
- High performance 3M[™] coating removal disc is not damaged by nails or screw heads and exhibits minimal clogging.

The all-in-one trim tool and paint container.

• For use around doors, windows and trim

• Eliminates repetitive trips to the paint tray Optional accessories include corner pad



P/N 0513030

P/N 0513040

Mask It[™]

Trim-it[™]

Features:

• Paint up to 60 ft. per fill

All-in-one masking tape and drop cloth.™ Features:

- Protect from paint spills and splatter
- Fast and easy clean-up
- 21in. x 70 ft. plastic film
- 7in. x 70ft



P/N 0284033 P/N 0284034

STEAMERS

Power steamers provide the safest and easiest way to remove all types of wallpaper. In addition, use for cleaning, de-greasing, and sanitizing.





Remove wallpaper the first time, every time! Features:

- 1 gallon tank
- 1-1/4 hour run time
- 11 ft. hose



P/N 0282018

On-Demand 915 Power Steamer™

Pressurized steam system that supplies steam at the touch of a button. Features:

- 48 fl. oz. tank
- 45 minute run time
- •8 ft. hose
- Wallpaper steamplate
- Jet nozzle
- Assorted utility brushes
- Floor cleaning head and pad
- •Window/tile squeegee
- •Two extension tubes
- Measuring cup and fill funnel



P/N 0282014

POWER ROLLERS

Make painting fast and easy. Eliminate the need for messy trays and repetitive trips up and down ladders.





Paint-N-Roll™

The All-in-One Roller and Paint Container.™ Features:

- 18 fl. oz. applicator
- Manual plunger
- •9" roller, spatter shield, can lid, suction tube
- Paint up to 57 sq. ft. on one fill

P/N 0284026

PaintMate™

The Ultimate All-in-One Roller and Paint Container.™ Features:

- 22 fl. oz. applicator
- Features PowerTrigger[™] technology
- •9" roller, spatter shield, can lid, suction tube
- Paint up to 70 sq. ft. on one fill
- Easily reach 8' ceilings



Telescoping PaintMate™

Perfect All-in-One roller for tight spaces and small rooms. Features:

- Features:
- 22 fl. oz. applicator
- Compact for hallways and closets
- •9" roller, spatter shield, can lid, suction tube
- Paint up to 70 sq. ft. on one fill
- Short length 27," medium length 37," full length 46"

P/N 0284007

TurboRoll™

Powered All-in-One Paint Roller. Features:

- QuickTouch[™] motor control
- 22 fl. oz. applicator
- Power forward or reverse button and manual override switch
- •9" roller, spatter shield, can lid, suction tube, 4AA batteries
- Batteries last up to 15 gallons
- Paint up to 70 sq. ft. on one fill
- Easily reaches 8' ceilings

Power Roller Max™

Roll and trim in half the time.™ Features:

- Electric power
- 1 or 5 gallon bucket compatible
- •Variable speed (8-20 oz. /min.)
- Pump reversing feature
- Fingertip paint flow control
- 9" roller, 18" extension, spatter shield, can lid,trim pad, corner pad, 5-gallon adapter, 16 ft hose
- Paint up to 53 sq. ft. per minute

P/N 0271008



Accessories

9" x 3/8" Roller Cover	0155206
9" x 3/4" Roller Cover	0155208
5 gallon adaptor	0284051
(for use with: Paintmate, Paint n Roll, TurboRoll, Telescoping PaintMate)	
Corner Pad	0514028
3" x 3" Trim Pad	0514026

DECK TOOLS

Makes staining and sealing your deck easier than ever. Coats both the deck boards and in between the deck boards in one pass.



DeckMate®

Stain or seal in half the time.™

Features:

- DeckMaster pad with in-between-the-boards brush
- •1/2 gallon tank
- Variable flow control
- 4 1/2 ft. length
- Sturdy aluminum pole
- Latex and oil-based stain/sealer compatible



DeckJet[®]

Stain or seal in half the time.™

Features:

- Stain pad with in-between board brushes
- 22 fl. oz. applicator
- Mess free filling
- Stain up to 70 sq. ft. on one fill
- Smooth and continuous flow
- Latex and oil-based stain/sealer compatible

P/N 0271037

Deck Tool Accessories

7" x 5" Stain Pad Pad and Brush Kit 0284068 (Deckmate) 0271036 (DeckJet)

Multi-Sprayer[™] Ideal for staining or sealing smaller surfaces.

- Features:
- 2.4 GPH* (gallons per hour)

wide variety of exterior projects.

- •1 gt. cup
- Spare atomizer valve
- Cleaning brush Sprayable Material: Thin bodied. Projects: Small.

Project Sprayer®

Great detail painter for chairs and lattice Features:

- 4.8 GPH* (gallons per hour)
- Optimus Dual Tip Technology ™
- •1 qt. cup
- Spare atomizer valve
- Cleaning brush & Lubricating oil

Spravable Material: Thin to medium bodied Projects: Small

Power Painter®

Versatile painter for small to medium projects. Features:

- 5.4 GPH* (gallons per hour)
- Optimus Dual Tip Technology[™]
- •1 qt. cup
- Spare atomizer valve

 Cleaning brush & Lubricating oil Sprayable Material: Thin to thick bodied including unthinned latex Projects: Small to medium

P/N 0500007





P/N 0525037



POWER PAINT The cost effective way to get great results in

a fraction of the time of a brush or roller for a

Power Painter[®] Plus with EZ Tilt™

Flexible suction tube allows you to spray in any direction.

Features:

- 6.6 GPH* (gallons per hour)
- EZ Tilt Flexible suction tube
- Optimus Dual Tip Technology™
- Paint/Stain selector
- 1 qt. twist lock cup
- Spare atomizer valve
- Cleaning brush
- Lubricating oil
- Paint can lid with pour spout

Sprayable Material: Thin to thick bodied including unthinned latex Projects: Small to large P/N 0525027

SPRAY AT AN

Power Painter[®] Max with EZ Tilt™

Two speed control for close-up detail work to large surfaces. Features:

- 7.2 GPH* (gallons per hour)
- EZ Tilt Flexible suction tube
- Optimus Dual Tip Technology™
- Low paint level indicator
- 2-speed electronic control
- 1-1/2 qt. twist lock cup
- 5 ft. suction tube
- Carry case
- Cleaning brush
- Paint can lid with pour spout

Sprayable Material: Thin to thick bodied including unthinned latex Projects: Small to large P/N 0525032

* Flow rate represents maximum continuous output. This may vary based on material, temperature and wear of sprayer.



Power Painter[®] Pro with EZ Tilt™

Complete kit to stain or paint any project from the house to a chair. Features:

- 8.0 GPH* (gallons per hour)
- EZ Tilt flexible suction tube
- Optimus Dual Tip Technology
- 3-speed electronic control with electronic paint/stain selector
- Low paint level indicator
- 1 $\frac{1}{2}$ qt. twist lock cup
- 5 ft. suction tube
- Backpack
- Paint can lid with pour spout

Sprayable material: Thin to thick bodied including unthinned latex Projects: Small to large P/N 0525029

\$21111

SPRAY AT ANY

Power Painter[®] Lithium Cordless

Complete mobility without cords or hoses. Features:

- 6.6 GPH* (gallons per hour)
- Optimus DualTipTechnology
- 18 volt Lithium Ion battery
- •1 qt. cup
- 5 ft. suction tube
- Backpack
- Spare atomizer valve
- Cleaning brush
- Quick flush adaptor

Sprayable material: thin to thick bodied including unthinned latex Projects: Small to medium P/N 0525013

Accessories

Optimus Dual Tip and Atomizer Valve (EZ Tilt™)0525145Optimus Dual Tip and Atomizer Valve (Optimus)0525115Atomizer Valves, 2 pack (EZ Tilt™, Optimus)0525118Backpack Accessory Kit0525135





AIRLESS SPRAYERS

The ProCoat[®] series offers the same quality spray pattern high priced contractor units provide at an affordable price. Sprays most residential coatings including today's thick exterior latex paints.



ProCoat®

Superior house painting tool. Features:

- 1/2 HP motor
- Supports a .015" tip
- 0.24 GPM (gallons per minute)
- Variable 1000-2800 PSI



P/N 0515034

ProCoat[®] Plus

Great starter rig for the do-it-yourselfer and moon lighter.

Features:

- 1/2 HP motor
- Supports a .015" tip
- 0.26 GPM (gallons per minute)
- Variable 1000-2800 PSI
- Telescoping Stand

P/N 0515029

ProCoat[®] Max

Great starter rig for the do-it-yourselfer to part time contractor.

Features:

- 1/2 HP motor
- Supports a .015" tip
- 0.26 GPM (gallons per minute)
- Variable 1000-2800 PSI
- Cart with telescoping handle

P/N 0515040



ProCoat® 9145

For serious DIYers and handymen with occasional spraying needs.

Features:

- 1/2 HP motor
- Supports a .015" tip
- 0.29 GPM
- Variable 1000-2800 PSI
- GS-07 spray gun & 25' hose
- Sureflo[™] Pusher Valve

ProCoat® 9155

For entry-level contractors with quarterly spraying needs.

Features:

- 5/8 HP motor
- Supports a 0.17" tip
- 0.33 GPM
- Variable 1000-3000 PSI
- GS-07 spray gun & 35' hose
- Sureflo[™] Pusher Valve
- Auto-Lube Pump Attendant[™]
- Space-Saver Telescoping Handle Cart P/N 0523013B

ProCoat[®] 9175

For contractors who need higher performance. Features:

- Features:
- 3/4 HP motor
- Supports a .019" tip
- 0.38 GPM
- Variable 1000-3000 PSI
- GS-08 spray gun & 50' hose
- Sureflo[™] Pusher Valve
- Auto-Lube Pump Attendant™
- Space-Saver Telescoping Handle Cart

P/N 0523014B

P/N 0523012B

ProCoat® 9185G

For contractors or DIYers who need the flexibility of an independant power source.

Features:

- 1.6 HP 4 cycle gas engine
- Supports a .017" tip
- 0.33 GPM
- •Variable 1000-3000 PSI
- GS-07 spray gun & 50' hose
- Sureflo[™] Pusher Valve
- Auto-Lube Pump Attendant[™]
- Space-Saver Telescoping Handle Cart



P/N 0293008

ProCoat® 9195

For contractors with regular spraying needs.

Features:

- 7/8 HP motor
- Supports a .021" tip
- 0.42 GPM
- GS-08 spray gun & 50' hose
- Variable 1000-3000 PSI
- Sureflo[™] Pusher Valve
- Auto-Lube Pump Attendant™
- Space-Saver Telescoping Handle Cart

P/N 0523015B

Accessories

VersaTip[™] Reversible tip VersaTip[™] Reversible tip VersaTip[™] Reversible tip Standard Reversible tip 12" Gun extension 3' Pole extension

HVLP

Designed to spray light bodied materials such as stains, sealers and enamels with maximum control.



Control Spray™

Ideal for decks, fences, and lawn furniture. Outdoor use only. Features:

- Variable flow control
- 3-pattern spray control
- 1-1/2 qt. cup
- Lock-n-Go[™] spray cartridge
- Viscosity cup

Sprayable Material: Stains, sealers, urethanes, varnishes, and other thin materials. Projects: : Small to medium exterior projects

P/N 0417005

Control Spray™ Double Duty

Great for cabinets, shelves, decks and fences.

Indoor and outdoor use.

Features:

- 2-stage indoor rated turbine
- Variable flow control
- 3-pattern spray control
- 1 qt. cup and 1-1/2 qt. cup
- Lock-n-Go[™] spray cartridge
- Viscosity cup

Sprayable Material: Stains, sealers, urethanes, varnishes, and other thin materials.

Projects: Small to medium interior and exterior projects P/N 0518050



Control Spray™ Max

Professional HVLP low overspray system.

Features:

- Professional metal 1 quart cup
- Large 1-1/2 quart plastic cup
- Viscosity Cup
- Replaceable air filter
- 20 ft. hose
- Variable air pressure control for maximum control / minimal overspray

Sprayable Material: : Stains, sealers, urethanes, varnishes,

lacquers, oils, enamels

Projects: Small to large interior and exterior projects

TEXTURE

Power Tex[™] sprays the same materials the pros use to achieve the look you want.

Power Tex™

Integrated air turbine - no separate compressor required.

Features:

- 3 spray nozzles for acoustical popcorn, knockdown and orange peel
- Reversible hopper converts from spraying wall to ceilings
- Lock-n-Go[™] for fast cleanup
- 1 gallon hopper
- All-in-one powered texture sprayer
- Operates on standard household 15 amp circuit
- Self standing for easy filling
- Arm rest reduces fatigue

Sprayable Material: Standard texture material aggregated acoustical popcorn fine, medium, coarse unaggregated knockdown & orange peel, diluted joint compound Projects: Small to medium interior projects P/N 0520000







1770 Fernbrook Lane Plymouth, MN 55447 www.wagnerspraytech.com

JB60655C SL14207